

DOLAV ACE 460











ACE Box Pallets



Shallow height to prevent goods' compression



Built-in hoist grips enable easy lifting



Integral runners for safe tipping on forklifts



Heavy duty box pallet for tough applications



Built-in drainage ports and caps enable fast and convenient drainage

Rely on DOLAV for reusable box pallets that last for years

Dolav's durable, reliable and long lasting box pallets enable easy and efficient transport and storage of food, beverages, materials and more. Dolavs are manufactured in one piece with three integral runners for safer tipping when used with a fork lift. Built-in hoist grips enable safe and easy lifting.

Protects Contents



Specially designed lid prevents contents being damaged

Easy Lifting



Built-in hoist grips enable easy lifting with standard equipment *

Effective Drainage



Built-in 2" drainage ports with caps which are easy to remove **

Safe Tipping



Three integral runners are safer to use with fork lift rotators ***

- Hygienic and easy to clean- Large interior radius with no hidden crevices
- Reusable and recyclable- Extra strong box pallets can be reused for years
- Low lifetime cost



RFID-IML Technology

The Power of the Combination: RFID-IML, The DNA of your Dolavs.

- Easier tracking- Unique ID per Dolav
- Rewritable Data- Write up to 128 bits of data
- Better documentation each tag can have high quality printing of both RFID and Barcode
- RFID-IML is more hygienic and avoids contamination
- Long Lasting- RFID IML tags are an integral part of your Dolav and cannot be removed
- RFID IML tags will not wash or fall off during use
- RFID IML is washable and withstand -30°c +100°c
- Can be read from a distance

When you have Dolavs with RFID IML, you have a smarter and efficient stock management system which can help you identify damage in the supply chain and prevent loss.



Customised To Your Needs



Dolav's lids are available with or without hoist grip, enabling the lids to be used when lifting.

Sequential

numbering



Walls can be solid, perforated, or a combination of both. Perforated walls offer fast cooling and ventilation.



Hot stamped logo



Embossed logo


Logo options


The company name, logo and sequential numbers can be hot stamped onto the Dolav for easy identification.

^{**}Box pallets can be supplied with one or two drainage ports, or without a drainage port.

^{***}Box pallets can be supplied with two or three integral runners.

Technical Data









| | ACE 460 SOLID - 3 runners | ACE 460 PERFORATED - 3 runners |
|--------------------------------|---------------------------|--------------------------------|
| External dimensions (LxWxH) mm | 1200x1000x580 | 1200x1000x580 |
| Internal dimensions (LxWxH) mm | 1128x928x440 | 1128x928x440 |
| Volume (litre) | 445 | 445 |
| Tare weight (kg) | 33.40 | 31.40 |
| Max load (kg) | 1200 (Stand alone) | 1200 (Stand alone) |
| Max. stack load (kg) | 4500 | 4500 |
| Raw material | HDPE Structural Foam | |
| Temperature range | -40°C up to +60°C | |
| Quantity in container (units) | 20' | 40' hc |
| | 40 | 108 |

- Due to deviations in the manufacturing process, tare weight may vary by $\pm\,1.5\%$
- Dimensions may vary by ±1%
- Data refers to temperature of 23°C
- Maximum load refers to stand alone boxes

- Maximum stacking load refers to vertical loading when the load per single box pallet does not exceed 600 kg
- Also available with combination: solid walls and perforated base or perforated walls and solid base minimum order quantity applies



Tried. Trusted. Best.





